

INON

Simple

Reliable

High performance

Wireless

For easy and handy strobe shooting

S-2000 Starter Kit SB

Shoe Base



Combination example with Panasonic FX40

S-2000 Starter Kit SB

Package contents

● S-2000 strobe ● Shoe Base Set

※ A digital camera and water-proof protector is not included in this package.

The Inon [S-2000] strobe supports wireless S-TTL Auto flash mode and provides substantial other high performance features in its compact body. The Inon "Shoe Base Set" holds the S-2000 strobe directly to attach on compact digital camera housing enabling you to start simple and handy external strobe shooting. The S-2000 strobe gives you vivid underwater world with its substantial flash power. Let's start one-up underwater photography with Inon S-2000 Starter Kit SB best suited to underwater shooters hesitating to add an external strobe to avoid oversized gears.

Compact • high-performance S-2000 strobe

The S-2000 has successfully downsized its body while operated by 4 x AA batteries and provides considerable features including Guide Number 20, beam angle; 105×95°, minimum recycle time; approx. 1.5 sec (at FULL) etc. to support comfortable underwater shooting.



Next generation wireless S-TTL Auto mode equipped

Reliable and highly-accurate S-TTL Auto mode has been further evolved enabling wireless connection without using fiber optics to benefit you external strobe shooting with handy system.



Lighting from various angles

The Shoe Base Set supports vertical and horizontal strobe positioning adjustment depending on shooting conditions to support your creative intent of lighting.



The Starter Kit SB wireless connection compatible camera models



Panasonic TZ10



Panasonic ZX3



Panasonic FT2



Fujifilm F80EXR




Olympus μTOUGH-8000

Olympus : μTOUGH-8000 / μTOUGH-6000 / μ1030SW / μ1020 / μ790SW / μ850SW / SP-560UZ / SP-550UZ / μ760 / μ795SW / μ770SW / μ725SW / μ720SW / SP-350 / μ600
Panasonic : FT2 / FT1 / FX40 / FX37 / FX35 / TZ10 / TZ7 / TZ5 / FS3 / ZX3 / ZX1 Fujifilm : F100fd / F80EXR (as of June.2010)

Attachment Lens Readily Use Set

These sets include INON Mount Base to use a close-up lens, wide conversion lens or fisheye conversion lens. Only optional necessary attachment lens enables you to shoot from wide to macro as you like.



Capture any width you like with an attachment lens

S-2000 Starter Kit is not simply to use a strobe but also to support various underwater-interchangeable attachment lenses to shoot a whale with a fisheye conversion lens or to shoot a sea-slug with a close-up lens.



Expandability only with a strobe arm

You can expand your lighting system to use 2nd, 3rd strobe only with optional INON ARM-II system to add on this starter kit. This is real "Starter" kit so you do not have to change a strobe stay when you build-up your system to suit to your shooting style.



S-2000 Starter Kit SB Panasonic TZ10 • M67LAB

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- M67 Lnes Adapter Base MCTZ10

※Panasonic digital camera LUMIX DMC-TZ10 and marine case DMW-MCTZ10 are not included.

● Compatible Attachment Lens

UCL330 UCL165M67



S-2000 Starter Kit SB Panasonic TZ7/TZ5 • M67LAB

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- M67 Lens Adapter Base MCTZ7/TZ5

※Panasonic digital camera LUMIX DMC-TZ7 and marine case DMW-MCTZ7, TZ5 and MCTZ5 are not included.

● Compatible Attachment Lens

UCL330 UCL165M67



S-2000 Starter Kit SB Panasonic ZX3/ZX1 • M67LAB

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- M67 Lens Adapter Base MCZX3/ZX1

※Panasonic digital camera LUMIX DMC-ZX3 and marine case DMW-MCZX3, ZX1 and MCZX1 are not included.

● Compatible Attachment Lens

UCL330 UCL165M67



S-2000 Starter Kit SB Olympus μTOUGH-6000/8000 • 28AD

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- 28AD Mount Base • PT-045/047

※Olympus digital camera μTOUGH-8000 and water-proof protector PT-045, μTOUGH-6000 and PT-047 are not included.

● Compatible Attachment Lens

UCL165AD UWL100 28AD DOME
μTOUGH-8000 only μTOUGH-8000 only



S-2000 Starter Kit SB Olympus μ1030SW • 28AD

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- 28AD Mount Base • PT-043

※Olympus digital camera μ1030SW and water-proof protector PT-043 are not included.

● Compatible Attachment Lens

UCL165AD UWL100 28AD DOME



S-2000 Starter Kit SB Panasonic FT2 • 28AD

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- 28AD Mount Base • MCFT2

※Panasonic digital camera LUMIX DMC-FT2 and marine case DMW-MCFT2 are not included.

● Compatible Attachment Lens

UCL165AD UWL100 28AD DOME



※AD Mount Converter for UCL-165AD is required to attach the UCL-165AD Close-up Lens

S-2000 Starter Kit SB Fujifilm F80EXR • M67LAB

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- M67 Lnes Adapter Base FXF80

※Fujifilm digital camera FinePix F80EXR and water-proof protector WP-FXF80 are not included.

● Compatible Attachment Lens

UCL330 UCL165M67



S-2000 Starter Kit SB Panasonic FT1 • 28AD

Kit contents

- S-2000 Strobe ■ Shoe Base Set
- 28AD Mount Base • MCFT2

※Panasonic digital camera LUMIX DMC-FT1 and marine case DMW-MCFT1 are not included.

● Compatible Attachment Lens

UCL165AD UWL100 28AD DOME



※AD Mount Converter for UCL-165AD is required to attach the UCL-165AD Close-up Lens

- Other models: S-2000 Starter Kit SB Olympus μ600 • AD, S-2000 Starter Kit SB Olympus μ760 • AD, S-2000 Starter Kit SB Olympus μ1020 • M67
- S-2000 Starter Kit SB Olympus SP-350 • AD, S-2000 Starter Kit SB Olympus μ790/850SW • AD, S-2000 Starter Kit SB Olympus μ720/725/770/795SW • AD, S-2000 Starter Kit SB Panasonic FS3/FX35/37/40 • 28AD,

● Compatible Attachment Lens

※ Optional Mount Base or Lens Arm etc. may be required to use attachment lens depending on housing. Please visit INON web page or contact INON INC. through e-mail.

M67 Mount		AD Mount		28AD Mount		Option	
UCL330	UCL165M67	UWL100	UCL165AD	UWL105AD	UFL165AD	UWL100 28AD	DOME
Standard magnification Close-up Lens UCL-330	High magnification Close-up Lens UCL-165M67	Dual use land/underwater, max. view angle underwater 100° Wide Conversion Lens UWL-100 Type 1	Stackable lens Close-up Lens UCL-165AD	Dual use land/underwater, max. view angle underwater 105.6° Wide Conversion Lens UWL-105AD	Minimum focal length 0cm, max. view angle underwater 165.6° Fish-eye Conversion Lens UFL-165AD	Dual use land/underwater, max. view angle underwater 100° Wide Conversion Lens UWL-100 28AD	Max. view angle underwater 150.8° Dome Lens Unit for UWL-100

INON

Simple

Reliable

Loose Proof

Wireless

For easy and handy strobe shooting S-2000 Starter Kit D4

The Inon [S-2000] strobe supports wireless S-TTL Auto flash mode providing substantial high performance features in its compact body. Now we offer simple set-up with Inon "Grip Base D4 Set" supporting loose-proof connection with an underwater housing to use the S-2000 strobe enabling you to start external strobe shooting. The S-2000 strobe gives you vivid underwater world with its substantial flash power. Let's start one-up underwater photography with Inon S-2000 Starter Kit D4.



S-2000 Starter Kit D4

Package contents

- S-2000 strobe
- Grip Base D4 Set

※ A digital camera and water-proof protector is not included in this package.

Combination example with Canon G10

Compact* high-performance S-2000 strobe

The S-2000 has successfully downsized its body while operated by 4 x AA batteries and provides considerable features including Guide Number 20, beam angle; 105°x95°, minimum recycle time; approx. 1.5 sec (at FULL) etc. to support comfortable underwater shooting.



Next generation wireless S-TTL Auto mode equipped

Reliable and highly-accurate S-TTL Auto mode has been further evolved enabling wireless connection without using fiber optics to benefit you external strobe shooting with handy system.



Loose-proof lock system Grip Base D4

The Grip Base D4 widely supports any manufacturer's underwater housing. The SPS lock system (Patent. P) effectively prevents loosening during usage. The Grip Base D4 directly holds the S-2000 to support wireless S-TTL operation.



The Starter Kit D4 wireless connection compatible camera models




Canon : IXY DIGITAL 300 / 300a / 400 / 450 / 500 / 600 / 700 / 80 / 70 / 1000 / 900IS / 10 / 90 / 910IS / 2000IS / 20IS / 25IS / 95IS / 920IS / 3000IS / 110IS / 210IS / 510IS / 220IS, PowerShot A10 / A20 / A30 / A40 / S30 / S40 / S45 / S50 / A60 / A70 / A80 / S1IS / A75 / A85 / S60 / S70 / A95 / S80 / A540 / G7 / A570IS / A650IS / G9 / G10 / G11 / S90
 Olympus : C-200Z / C-300Z / C-2020Z / C-2040Z / C-3000Z / C-3030Z / C-3040Z / C-3100Z / C-4040Z / C-4100Z / C-40Z / X-1 / X-2 / C-5050Z / μ-10 / μ-15 / μ-20 / μ-25 / μ-30 / C-740UZ / C-745UZ / C-750UZ / C-755UZ / C-5060WZ / C-760UZ / C-770UZ / X-3 / μ-40 / C-7070WZ / μ600 / SP-350 / SP-700 / μ710 / μ720SW* / μ725SW* / μ770SW* / μ795SW* / μ760 / SP-550UZ / SP-560UZ / μ790SW* / μ850SW* / μ1020 / μ1030SW* / FE-360 / μTOUGH-8000* / FE-3010 / μTOUGH-6000*
 Panasonic : FX01 / FX07 / FX30 / FX33 / FX35 / FX37 / FX40 / FS1 / FS2 / FS3 / TZ3 / TZ5 / TZ1 / TZ10 / FT1* / FT2* / ZX3 / ZX1
 Fujifilm : F10 / F11 / F30 / F31fd / F40fd / F50fd / F100fd / Z100fd / Z200fd / Z250fd / F80EXR
 Sony : P100 / P150 / W1 / W5 / W7 / N1 / N2 / W170 / W300 / T700* / T77*
 Nikon : E2200 / E3200 / E4100 / E4200 / E5200 / E5900 / E7900 (as of June,2010)

※When using a Mount Base, wireless connection is not usable. Connect a strobe and housing with an Inon Optical D Cable product.

Attachment Lens Readily Use Set

These sets include INON Mount Base to use a close-up lens, wide conversion lens or fisheye conversion lens. Only optional necessary attachment lens enables you to shoot from wide to macro as you like.



Capture any width you like with an attachment lens

S-2000 Starter Kit is not simply to use a strobe but also to support various underwater-interchangeable attachment lenses to shoot a whale with a fisheye conversion lens or to shoot a sea-slug with a close-up lens.



Expandability only with a strobe arm

You can expand your lighting system to use 2nd, 3rd strobe only with optional INON ARM-II system to add on this starter kit. This is real "Starter" kit so you do not have to change a strobe stay when you build-up your system to suit to your shooting style.



S-2000 Starter Kit D4 Canon IXY110•AD

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- AD Mount Base · DC29

※ Canon digital camera IXY Digital 110IS and water-proof case WP-DC29 are not included.

Compatible Attachment Lens

UCL165AD UWL105AD UFL165AD



S-2000 Starter Kit D4 Canon A210IS•AD

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- AD Mount Base · DC31

※ Canon digital camera PowerShot A210IS and water-proof case WP-DC31 are not included.

Compatible Attachment Lens

UCL165AD UWL105AD UFL165AD



S-2000 Starter Kit D4 Canon IXY510IS•28AD

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- 28AD Mount Base · DC32

※ Canon digital camera IXY Digital 510IS and water-proof case WP-DC32 are not included.

Compatible Attachment Lens

UCL165AD UWL100 28AD DOME



S-2000 Starter Kit D4 Olympus FE360/3010•AD

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- AD Mount Base · PT-044/046

※ Olympus digital camera FE-360 and water-proof protector PT-044, FE-3010 and PT-046 are not included.

Compatible Attachment Lens

UCL165AD UWL105AD UFL165AD



S-2000 Starter Kit D4 Canon S90•28AD

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- 28AD Mount Base · DC35

※ Canon digital camera PowerShot S90 and water-proof case WP-DC35 are not included.

Compatible Attachment Lens

UCL165AD UWL100 28AD DOME

※ AD Mount Converter for UCL-165AD is required to attach the UCL-165AD Close-up Lens



S-2000 Starter Kit D4 Canon IXY2000/3000IS•AD

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- AD Mount Base · DC19/27

※ Canon digital camera IXY Digital 3000IS and water-proof case WP-DC27, IXY Digital 2000IS and WP-DC19 are not included.

Compatible Attachment Lens

UCL165AD UWL105AD UFL165AD



S-2000 Starter Kit D4 Sony W300•M67

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- M67 Mount Base · WD

※ Sony digital camera Cyber-shot W300 and marine-pack MPK-WD are not included.

Compatible Attachment Lens

UCL330 UCL165M67 UWL100 DOME



S-2000 Starter Kit D4 Canon IXY220IS•28AD

Kit contents

- S-2000 Strobe ■ Grip Base D4 Set
- 28AD Mount Base · DC33

※ Canon digital camera IXY Digital 220IS and water-proof case WP-DC33 are not included.

Compatible Attachment Lens

UCL165AD UWL100 28AD DOME



● Other models: S-2000 Starter Kit D4 Canon A570IS•AD, S-2000 Starter Kit D4 Canon IXY10/70/80/90•AD, S-2000 Starter Kit D4 Canon IXY910IS•28AD, S-2000 Starter Kit D4 Canon IXY20/25/95IS•AD, S-2000 Starter Kit D4 Canon IXY920IS•28AD

Compatible Attachment Lens

※ Optional Mount Base or Lens Arm etc. may be required to use attachment lens depending on housing. Please visit INON web page or contact INON INC. through e-mail.

M67 Mount			AD Mount			28AD Mount	Option
UCL330	UCL165M67	UWL100	UCL165AD	UWL105AD	UFL165AD	UWL100 28AD	DOME
Standard magnification Close-up Lens UCL-330	High magnification Close-up Lens UCL-165M67	Dual use land/underwater, max. view angle underwater 100° Wide Conversion Lens UWL-100 Type 1	Stackable lens Close-up Lens UCL-165AD	Dual use land/underwater, max. view angle underwater 105.6° Wide Conversion Lens UWL-105AD	Minimum focal length 0cm, max. view angle underwater 165.6° Fish-eye Conversion Lens UFL-165AD	Dual use land/underwater, max. view angle underwater 100° Wide Conversion Lens UWL-100 28AD	Max. view angle underwater 150.8° Dome Lens Unit for UWL-100